



#### ADP suites model types:

**1B-N, 1B-P, 2B-PP, 2B-UU, 3B-K Side By Side,  
3B-K Stacked Alternative, 3B-L, 3B-M**

### CEILINGS/FLOORS/PAINT

- Approximately 9 ft. ceiling heights in principal rooms, defined as the Living Room and Dining Room. Where bulkheads or dropped ceilings are required, the height of the ceiling will be less than 9 ft. All measurements are calculated from the finished concrete slab floor to the underside of the concrete slab or finished ceiling above.
- Approximately 10 ft. ceiling heights in principal rooms, defined as the Living Room and Dining Room for suites on Levels 2 and 3. Where bulkheads or dropped ceilings are required, the height of the ceiling will be less than 10 ft. All measurements are calculated from the finished concrete slab floor to the underside of the concrete slab or finished ceiling above.
- Smooth ceilings throughout.
- Porcelain tile floor and baseboard in Bathroom(s).
- Ceramic tile floor and baseboard in Laundry Closet.
- Laminate flooring in all other areas.
- Semi-gloss, off-white latex paint in Bathroom(s), Laundry Closet, and on all trim.
- Flat, off-white latex paint on all other walls and ceilings.

### DOORS/HARDWARE/CARPENTRY

- Entry door to be solid core, with door viewer.
- Entry door leaf size to be a minimum of 965mm with low threshold.
- Minimum 1500mm turning radius at entry door.
- Interior swing doors to be hollow-core, flat panel.
- Swing closet doors throughout.
- Balcony swing door leaf size to be a minimum 965mm and low threshold.
- Internal Bedroom to have clear glass partition and/or clear glass sliding door (as per Schedule A, if applicable).
- Minimum door leaf size of 965mm on all Accessible Bedroom door(s) and Accessible Bathroom door(s).
- Dark bronze lever hardware on entry door and brushed chrome lever hardware interior swing doors.
- Pocket doors to receive pull hardware.
- Privacy lock on all Bathroom doors.
- 4" baseboards in all areas where laminate flooring is located.
- 2" casings throughout.

### KITCHEN

- Custom-designed cabinetry with soft-close hardware.
- Quartz countertop.
- Islands with dining accommodations (as per Schedule A, if applicable).
- Single bowl, stainless steel, undermount sink.
- Single lever, chrome faucet.
- Ceramic tile backsplash.

### APPLIANCES

- One-bedroom, two-bedroom and model 3B-K Side By Side (ADP) units to receive:
  - 24" stainless steel refrigerator.
  - 24" cooktop and wall oven with over-the-range microwave.
  - 24" panelized dishwasher.
  - 24" side-by-side, front-load washer and ventless heat pump dryer.
    - Model 3B-K Side By Side (ADP) to receive 27" side-by-side, front-load washer and ventless heat pump dryer.
- Three-bedroom units (except for Model 3B-K Side By Side (ADP)) to receive:
  - 30" stainless steel refrigerator.
  - 30" cooktop and wall oven with over-the-range microwave.
  - 24" panelized dishwasher.
  - 27" side-by-side, front-load washer and ventless heat pump dryer.
    - Model 3B-K Stacked Alternative (ADP) to receive 27" stacked, front-load washer and ventless heat pump dryer.

### ACCESSIBLE BATHROOM

- Accessible height vanity with roll-under clearance.
- Custom-designed, recessed storage niche with open shelving and frameless mirror.
- Off-white quartz countertop with single edge profile.
- Single bowl, white porcelain, undermount sink.
- Single lever, chrome faucet.
- Low consumption toilet with grab bar beside and behind toilet, and transfer space at toilet.
- Chrome accessories (towel bar or ring, toilet paper holder, robe hook).
- 1500mm turning radius within the Bathroom, with transfer space at shower.
- Secondary drain in Accessible Bathroom area.



### ACCESSIBLE BATHROOM (cont)

- Shower to have:
  - Roll-in, full-height, tiled shower.
  - Ceiling-mounted chrome shower head and adjustable hand-held on slide bar.
  - Shower seat, grab bars, and shower rod.
  - Recessed storage niche within shower.

### NON-ACCESSIBLE BATHROOM

- Custom-designed vanity cabinetry with soft-close hardware.
- Surface-mounted, frameless mirror.
- Off-white quartz countertop.
- Single bowl, white porcelain, undermount sink.
- Single lever, chrome faucet.
- Low consumption toilet.
- Chrome accessories (towel bar or ring, toilet paper holder, robe hook).
- Shower to have:
  - Full-height tile surround.
  - Fixed-mount chrome shower head, single lever control handle, and spout.
  - Frameless glass shower enclosure with pre-formed base.
- Acrylic deep soaker tub to have:
  - Full-height tile surround.
  - Fixed-mount chrome shower head, single lever control handle, and spout.
  - Shower rod.

### ELECTRICAL/LIGHTING/ COMMUNICATIONS/SECURITY

- Dedicated electrical panel individually metered.
- White decora-style switches and receptacles throughout.
- Switched receptacle in Living/Dining Room (as per Schedule A, if applicable).

- Capped ceiling junction box above Living/Dining Room in two-bedroom, two-bedroom + den, three-bedroom, and three-bedroom + den units greater than 800 square feet (as per Schedule A, if applicable).
- Capped ceiling junction box above kitchen island or peninsula (as per Schedule A, if applicable).
- Balconies, terraces, and patios to receive a receptacle.
- In-suite light fixtures to be energy-efficient LED.
- Track light in Kitchen.
- Valance lighting below Kitchen upper cabinets.
- Light fixture in Foyer, Hallway(s), Bedroom(s), and Walk-In Closets (as per Schedule A, if applicable).
- Wall mounted sconce above sink(s) in Bathroom(s).
- Pot light in Bathroom(s), located in the tub/shower area and the main Bathroom area.
- Terrace suites 2B-UU (level 2) and 2B-PP (level 8) to receive exterior light fixture.
- Pre-wired outlet(s) for television, telephone and/or internet, located by Vendor.
- Rough-in for security keypad and door contact at suite entry door.
- Rough-in for power door operator at suite entry door.

### MECHANICAL

- Water consumption individually metered.
- Terrace suites 2B-UU (level 2) and 2B-PP (level 8) to receive hose bibb and BBQ line connection on.
- In-suite digital thermostat.
- HVAC System: In-suite dedicated fan coil(s) on seasonal changeover system with integrated energy recovery ventilation (ERV) to supply fresh air.
- Primary Bathroom exhausted through ERV to exterior. Second Bathroom exhausted through a dedicated exhaust fan to exterior (as per Schedule A, if applicable).

## features & finishes.

ADP model types: 1PC, 2PD, 3D

### CEILINGS/FLOORS/PAINT

- ♦ Approximately 9 ft. ceiling heights in principal rooms, defined as Living/Dining Room. Where bulkheads or dropped ceilings are required, the height of the ceiling will be less than 9 ft. All measurements are calculated from the finished concrete slab floor to the underside of the concrete slab or finished ceiling above.
- ♦ Smooth ceilings throughout.
- ♦ Porcelain tile floor and baseboard in Bathroom(s).
- ♦ Ceramic tile floor and baseboard in Laundry Closet.
- ♦ Laminate flooring in all other areas.
- ♦ Semi-gloss, off-white latex paint in Bathroom(s), Laundry Closet, and on all trim.
- ♦ Flat, off-white latex paint on all other walls and ceilings.

### DOORS/HARDWARE/CARPENTRY

- ♦ Entry door to be solid core, with door viewer.
- ♦ Entry door leaf size to be a minimum of 965mm with low threshold.
- ♦ Minimum 1500mm turning radius at entry door.
- ♦ Interior swing doors to be hollow-core, flat panel.
- ♦ Closet sliding door(s) to be framed and mirrored (as per Schedule A, if applicable).
- ♦ Internal Bedroom to have clear glass partition and/or clear glass sliding door (as per Schedule A, if applicable).
- ♦ Balcony swing door leaf size to be a minimum of 965mm and low threshold (as per Schedule A, if applicable).
- ♦ Minimum door leaf size of 965mm on all Accessible Bedroom door(s) and Accessible Bathroom door(s).
- ♦ Satin nickel lever hardware on entry door.
- ♦ Satin nickel lever hardware on interior swing doors.
- ♦ Pocket doors to receive pull hardware.
- ♦ Privacy lock on all Bathroom doors.
- ♦ 4" baseboards in all areas where laminate flooring is located.
- ♦ 2" casings throughout.

### KITCHEN

- ♦ Custom-designed cabinetry with soft-close hardware.
- ♦ Quartz countertop.
- ♦ Island/peninsula with dining accommodations (as per Schedule A, if applicable).
- ♦ Single bowl, stainless steel, undermount sink.
- ♦ Single lever, low flow, chrome faucet.
- ♦ Ceramic tile backsplash.

### APPLIANCES

- ♦ All suites to receive:
  - ♦ 24" stainless steel refrigerator with bottom mount freezer.
  - ♦ 24" stainless steel oven with separate cooktop.
  - ♦ 24" over-the-range microwave.
  - ♦ 24" panelized dishwasher.
  - ♦ 24" side-by-side washer and dryer.

### ACCESSIBLE BATHROOM

- ♦ Accessible height vanity with roll-under clearance.
- ♦ Custom-designed, recessed storage niche with open shelving and frameless mirror.
- ♦ Quartz countertop with single edge profile at accessible height (860mm).
- ♦ Single bowl, white porcelain, undermount sink with roll-under clearance.
- ♦ Single lever, low flow, chrome faucet.

- ♦ Low consumption toilet with grab bar beside and behind toilet, and transfer space at toilet.
- ♦ Chrome accessories (towel bar or ring, toilet paper holder, robe hook).
- ♦ 1500mm turning radius within the Accessible Bathroom, with transfer space at shower.
- ♦ Secondary drain in Accessible Bathroom area.
- ♦ Shower to receive:
  - ♦ Roll-in, full-height, tiled shower.
  - ♦ Ceiling-mounted, low flow, chrome shower head and adjustable hand-held on slide bar.
  - ♦ Shower seat, grab bars, and shower rod.
  - ♦ Recessed storage niche within shower.

### NON-ACCESSIBLE BATHROOM

- ♦ Custom-designed vanity cabinetry with soft-close hardware.
- ♦ Medicine cabinet included in first/ensuite Bathroom.
- ♦ Surface-mounted, frameless mirror above vanity.
- ♦ Quartz countertop with single edge profile.
- ♦ Single bowl, white porcelain, undermount sink.
- ♦ Single lever, low flow, chrome faucet.
- ♦ Low consumption toilet.
- ♦ Chrome accessories (towel bar or ring, toilet paper holder, robe hook).
- ♦ Shower to receive:
  - ♦ Full-height tile surround.
  - ♦ Fixed-mount, low flow, chrome shower head and single lever control handle.
  - ♦ Clear tempered framed glass shower stall, with pre-formed base.
- ♦ Acrylic deep soaker tub to receive:
  - ♦ Full-height tile surround.
  - ♦ Fixed-mount, low flow, chrome shower head, single lever control handle, and spout.
- ♦ Shower rod.

### ELECTRICAL/LIGHTING/COMMUNICATIONS/SECURITY

- ♦ Dedicated electrical panel individually metered.
- ♦ White decora-style switches and receptacles throughout.
- ♦ All balconies/terraces to receive a receptacle.
- ♦ In-suite light fixtures to be energy-efficient LED.
- ♦ Track light in Kitchen.
- ♦ Integrated lighting below Kitchen upper cabinets.
- ♦ Light fixture in the Foyer, Hallway(s), Bedroom(s), Living/Dining Room, Den, and Walk-In Closets (as per Schedule A, if applicable).
- ♦ Wall mounted sconce above sink(s) in Bathroom(s).
- ♦ Pot light in the tub/shower area in Bathroom(s).
- ♦ Larger terrace suites to receive exterior light fixture.
- ♦ Pre-wired outlet(s) for television, telephone, and/or internet, located by Vendor.
- ♦ Rough-in for security keypad and door contact at suite entry door.
- ♦ Rough-in for power door operator at suite entry door (as per Schedule A, if applicable).

### MECHANICAL

- ♦ Water consumption individually metered.
- ♦ In-suite digital thermostat.
- ♦ HVAC System: In-suite dedicated heat pump(s) with integrated energy recovery ventilation (ERV) to supply year-round, on-demand heating and cooling with fresh air supplied via ERV.
- ♦ Primary Bathroom exhausted through ERV to exterior. Second Bathroom exhausted through a dedicated exhaust fan to exterior (as per Schedule A, if applicable).

### CEILINGS/FLOORS/PAINT


- Approximately 9 ft. ceiling heights in principal rooms, defined as Living/Dining Room. Where bulkheads or dropped ceilings are required, the height of the ceiling will be less than 9 ft. All measurements are calculated from the finished concrete slab floor to the underside of the concrete slab or finished ceiling above.
- Approximately 10 ft. ceiling heights in principal rooms, defined as Living/Dining Room for suites on Level 1 in the West Tower. Where bulkheads or dropped ceilings are required, the height of the ceiling will be less than 10 ft. All measurements are calculated from the finished concrete slab floor to the underside of the concrete slab or finished ceiling above.
- Smooth ceilings throughout.
- Porcelain tile floor and baseboard in Bathroom(s).
- Ceramic tile floor and baseboard in Laundry Closet.
- Laminate flooring in all other areas.
- Semi-gloss, off-white latex paint in Bathroom(s), Laundry Closet, and on all trim.
- Flat, off-white latex paint on all other walls and ceilings.

### DOORS/HARDWARE/CARPENTRY




- Entry door to be solid core, with door viewer.
- Entry door leaf size to be a minimum of 965mm with low threshold.
- Minimum 1500mm turning radius at entry door.
- Interior swing doors to be hollow-core, flat panel.
- Swing closet doors throughout.
- Balcony swing door leaf size to be a minimum of 965mm and low threshold (as per Schedule A, if applicable).
- Minimum door leaf size of 965mm on all Accessible Bedroom door(s) and Accessible Bathroom door(s).
- Matte black lever hardware on entry door.
- Satin nickel lever hardware on interior swing doors.
- Pocket doors to receive pull hardware.
- Privacy lock on all Bathroom doors.
- 4" baseboards in all areas where laminate flooring is located.
- 2" casings throughout.

### KITCHEN




- Custom-designed cabinetry with soft-close hardware.
- Quartz countertop.
- Island with dining accommodations (as per Schedule A, if applicable).

- Single bowl, stainless steel, undermount sink.
- Single lever, low flow, chrome faucet. 
- Ceramic tile backsplash.




### APPLIANCES


- All mid-rise suites to receive:
  - 24" stainless steel refrigerator with bottom mount freezer. 
  - 24" stainless steel slide-in electric range.
  - 24" over-the-range microwave.
  - 24" panelized dishwasher. 
  - 24" side-by-side, front-load washer and ventless heat pump dryer. 

### ACCESSIBLE BATHROOM



- Accessible height vanity with roll-under clearance.
- Custom-designed, recessed storage niche with open shelving and frameless mirror.
- Pre-formed countertop and integrated sink.
- Single lever, low flow, chrome faucet. 
- Low consumption toilet with grab bar beside and behind toilet, and transfer space at toilet. 
- Chrome accessories (towel bar or ring, toilet paper holder, robe hook).
- 1500mm turning radius within the Accessible Bathroom, with transfer space at shower.
- Secondary drain in Accessible Bathroom area.
- Shower to receive:
  - Roll-in, full-height, tiled shower.
  - Ceiling-mounted, low flow, chrome shower head and adjustable hand-held on slide bar. 
  - Shower seat, grab bars, and shower rod.
  - Recessed storage niche within shower.

### NON-ACCESSIBLE BATHROOM




- Custom-designed vanity cabinetry with soft-close hardware.
- Surface-mounted, frameless mirror.
- Pre-formed countertop and integrated sink.
- Single lever, low flow, chrome faucet. 
- Low consumption toilet. 
- Chrome accessories (towel bar or ring, toilet paper holder, robe hook).
- Shower to receive:
  - Full-height tile surround.
  - Fixed-mount, low flow, chrome shower head and single lever control handle. 

- Clear tempered framed glass shower stall, with pre-formed base.
- Acrylic deep soaker tub to receive:
  - Full-height tile surround.
  - Fixed-mount, low flow, chrome shower head, single lever control handle, and spout. 
  - Shower rod.

### ELECTRICAL/LIGHTING/COMMUNICATIONS/SECURITY

- Dedicated electrical panel individually metered. 
- White decora-style switches and receptacles throughout.
- Switched receptacle in Living/Dining Room (as per Schedule A, if applicable).
- Capped ceiling junction box above Living/Dining Room (as per Schedule A, if applicable).
- Capped ceiling junction box above kitchen island or peninsula (as per Schedule A, if applicable).
- All balconies/terraces to receive a receptacle.
- In-suite light fixtures to be energy-efficient LED. 
- Track light in Kitchen.
- Valance lighting below Kitchen upper cabinets.
- Light fixture in the Foyer, Hallway(s), Bedroom(s), Den and Walk-In Closets (as per Schedule A, if applicable).
- Wall mounted sconce above sink(s) in Bathroom(s).
- Pot light in the tub/shower area in Bathroom(s).
- Terrace suites to receive exterior light fixture at Level 1 (West Tower).
- Pre-wired outlet(s) for television, telephone, and/or internet, located by Vendor.
- Rough-in for security keypad and door contact at suite entry door.
- Rough-in for power door operator at suite entry door and balcony/terrace door (as per Schedule A, if applicable).

### MECHANICAL

- Water consumption individually metered. 
- Hose bibbs located at Level 1 (West Tower).
- In-suite digital programmable thermostat.
- HVAC System: In-suite dedicated heat pump(s) with integrated energy recovery ventilation (ERV) to supply year-round, on-demand heating and cooling with fresh air supplied via ERV. 
- Primary Bathroom exhausted through ERV to exterior. Second Bathroom exhausted through a dedicated exhaust fan to exterior (as per Schedule A, if applicable). 

 Sustainable Feature

PLEASE NOTE: Specifications are subject to change without notice. Purchasers are advised to carefully review the Schedule A affiliated with their purchase to verify the aforementioned features that apply to the Unit. Units of differing model types may not contain all the aforementioned features. Window configuration may vary with final construction drawings. All areas and stated room dimensions are approximate. Floor area measured in accordance with HCRA Directive titled "Floor Area Calculations - Condominium Homes," dated February 1, 2021. Actual living area will vary from floor area stated. The Vendor shall have the right to make reasonable changes in the opinion of the Vendor in the plans and specifications if required and to substitute other material for that provided for herein with material that is of equal or better quality. The determination of whether a substitute material is of equal or better quality shall be made by the Vendor's architect whose determination shall be final and binding. Colour, texture, appearance, etc. of features and finishes installed in the Unit may vary from Vendor's samples as a result of normal manufacturing and installation processes. Decorative and upgraded items displayed in any furnished model suite(s) and/or sales office are for display purposes only and are not included in the purchase price. E. & O. E. - February 2023



# Features & Finishes

## SPECTACULAR BUILDING FEATURES

- The Thornhill Community is nestled on 3.5 acres of carefully groomed land. Set within the established charm of South Thornhill, the residence will rise at the corner of Bathurst Street and Beverley Glen Boulevard.
- Beverley offers thoughtful layouts designed for optimal living.
- A dedicated 24-hour concierge will warmly welcome residents and guests upon entrance to the stunning lobby, designed by the world-renowned interior design firm, HOK.
- Surrounded by the quaint comforts of this exclusive South Thornhill neighbourhood, residents will enjoy everyday conveniences including exciting shops, cafés, restaurants, schools, luscious parks, local transit (Viva Line) and commuter highway networks (Highway 407 and Highway 7) – all just steps to The Promenade Mall.

## INCREDIBLE BUILDING AMENITIES

Residents will enjoy exclusive use of the many lifestyle amenities located on the ground floor, second floor and seventh floor.

### Ground floor amenities at Beverley include:

- Family Room with a children's area designed for playing games, arts and crafts and educational activity.
- A bright co-working space with bookable meeting room and social areas.
- Gymnasium with basketball nets and open space for sports and friendly competition.
- A fully equipped pet wash made simple and luxurious for beloved family pets.
- Outdoor community courtyard, a great place to relax or mix and mingle with neighbours.
- Enjoy resident gardening plots and greenhouse, nestled amongst the privacy of the professionally landscaped areas, designed by Toronto's Land Art Design.
- Dog lovers and their furry friends will enjoy the fully fenced, on-site dog run area.

### Second floor amenities include:

- Fitness centre with a yoga studio, providing a place to achieve fitness goals without distractions.

### Seventh floor amenities include:

- Outdoor terrace with plenty of dining spaces, BBQs, lounge areas and a climbing play structure for the kids to explore.
- Bookable indoor party room and dining room with direct access to the outdoor patio with private entertaining areas.

## SUITE FEATURES

- Approximately 9 ft. ceiling heights in principal rooms, defined as Living Rooms and Dining Rooms. Where bulkheads or dropped ceilings are required, the height of the ceiling will be less than 9 ft. All measurements are calculated from the finished concrete slab floor to the underside of the concrete slab or finished ceiling above.
- Entry door to be pre-finished, with painted custom surround.
- Contemporary 4" baseboards in all areas except Bathroom(s) and Laundry Room, which have a tile baseboard.
- Contemporary 2" casings throughout.
- Flat panel interior doors with satin chrome lever hardware.
- Framed mirrored sliding closet doors in Foyer and Bedroom(s), as per plan.
- Suite walls primed and painted in latex flat finish off-white paint; Kitchen, Bathroom(s) and Laundry/Storage to be painted in latex eggshell off-white paint. Latex semi-gloss off-white paint on trim. All paint is low VOC.
- White, smooth, painted ceilings in all areas.
- Swing door to balcony with minimum 865mm clearance and low threshold, as per plan.
- Minimum 865mm clearance on all doorways.
- Minimum 1500mm turning radius at entry.
- Ground Floor Patios and Above Grade Terraces to receive concrete pavers.
- Exterior hose bib provided for Ground Floor suites.
- Townhomes to receive wood staircase with painted risers and stringers. Rod iron pickets with contemporary posts and handrail painted black, as per plan.

## FLOORING FEATURES

- Laminate flooring in the Foyer and Foyer closet, Hallway, Bedroom(s), Living/Dining Room, Den and Kitchen, as per plan.
- Porcelain floor tile in Bathroom(s), as per plan.
- Ceramic floor tile in Laundry/Storage areas, as per plan.

## KITCHEN FEATURES

- Custom-designed contemporary Kitchen cabinetry, with integrated under-cabinet valance lighting and soft-close hardware.
- Quartz countertop with single bowl stainless-steel, undermount sink.



- Matching Kitchen island or peninsula with Quartz countertop and dining accommodations, as per plan.
- Single-lever Kitchen faucet with pull-out head for ease of use.
- Contemporary tile backsplash.
- Suites smaller than 1,000 square feet to receive European-style Kitchen appliances, including: stainless steel, 24" refrigerator with bottom mount freezer, 24" paneled dishwasher, 24" built-in electric cooktop and wall oven, hood fan vented to exterior, and microwave in island or peninsula. Suites without an island to receive built-in microwave with a trim kit in lieu of microwave in island or peninsula.
- Suites larger than 1,000 square feet to receive European-style Kitchen appliances, including: stainless steel 30" refrigerator with bottom mount freezer, 24" paneled dishwasher, 30" built-in electric cooktop and wall oven, hood fan vented to exterior, and microwave in island or peninsula.
- Contemporary track light fixture.

#### ACCESSIBLE BATHROOM FEATURES

- Low consumption toilets.
- Custom-designed Bathroom vanity with knee clearance under sink.
- Contemporary single-lever chrome faucet on vanity.
- Roll-in tiled shower with hand-held shower head and ceiling mounted shower head.
- Curtain rod, grab bars, and shower seat provided in shower.
- 1500mm turning radius within the Bathroom.
- Secondary drain in main Bathroom area.
- Light sconce above frameless vanity mirror. Pot light within the tub/shower.
- Chrome Bathroom accessories, including towel bar or ring and toilet paper holder.

#### STANDARD BATHROOM FEATURES

- Low consumption toilets.
- Custom-designed Bathroom vanity and one-piece sink with integrated basin. Bathrooms to receive frameless mirror.
- All Bathrooms to have light sconce above frameless vanity mirror. Pot light within the tub/shower.
- Contemporary single-lever chrome faucet on vanity, and chrome plumbing fixtures in shower or bathtub.
- Acrylic deep soaker tub and wall tile surround up to ceiling, as per plan.

- Clear tempered framed glass shower stalls, with preformed base and full-height wall tile surround, as per plan.
- Chrome Bathroom accessories, including towel bar or ring, toilet paper holder, and shower rod.

#### LAUNDRY ROOM FEATURES

- Stacked, front loading washer and dryer, vented to the exterior.

#### ELECTRICAL FEATURES

- Suite hydro individually metered.
- Individual service panel with circuit breakers.
- Pre-wired outlets for television, telephone and/or Internet connections in Living Room, Bedroom(s) and Den, as per plan.
- Energy-efficient ceiling light fixtures provided in Foyer, Bedroom(s), and Den, as per plan.
- Capped ceiling outlet in Living Room/Dining Room, as per plan.
- Switch controlled outlet to be provided in Living Room.
- Capped ceiling outlet above Kitchen island or peninsula, as per plan.
- All appliances connected and ready to use.
- White decora-style switches and receptacles throughout.
- Exterior light fixtures for Ground Floor suites.
- Suite entry door to have rough-in for power door operator.

#### ADVANCED SECURITY FEATURES

- Cameras at all visitor entrances, allowing for in-suite viewing through cable television (as per applicable television provider).
- Enter-phones to facilitate visitor access to Tower Lobby.
- Resident key fob access to Amenity Areas and Residential Common Areas.
- Convenient underground parking with cameras at pre-selected locations, along with two-way voice communication to Concierge or monitoring station.
- Suite entry door(s) to have rough-in for keypad and door contact for intrusion alarm system.
- Rough-in intrusion provision on windows and exterior doors for Ground Floor suites only.

PLEASE NOTE: Specifications are subject to change without notice. Purchasers are advised to carefully review the Schedule A affiliated with their purchase to verify the aforementioned features that apply to the Unit. Units of differing model types may not contain all the aforementioned features. Window configuration may vary with final construction drawings. All areas and stated room dimensions are approximate. Floor area measured in accordance with HCRA Directive titled "Floor Area Calculations – Condominium Homes," dated February 1, 2021. Actual living area will vary from floor area stated. The Vendor shall have the right to make reasonable changes in the opinion of the Vendor in the plans and specifications if required and to substitute other material for that provided for herein with material that is of equal or better quality. The determination of whether a substitute material is of equal or better quality shall be made by the Vendor's architect whose determination shall be final and binding. Colour, texture, appearance, etc. of features and finishes installed in the Unit may vary from Vendor's samples as a result of normal manufacturing and installation processes. Decorative and upgraded items displayed in any furnished model suite(s) and/or sales office are for display purposes only and are not included in the purchase price. E. & O.E. August 2022